



HAARSLEV™

Processing Technology

HIGH-SPEED CRUSHER


Product brochure



HAARSLEV™

Processing Technology

HIGH-SPEED CRUSHER



The Haarslev High-speed Crusher enables you to effectively, continuously crush almost any kind of animal or fish by-products, hard or soft. Models are available for production flows of 2-25 tons/hour (or more).

These compact, high-speed crushers rotate at approx. 300 rpm, and are ideal for producing finer, more consistent outputs from your crushing operations.

They provide a relatively inexpensive solution, with low operating costs, for processing setups when any metal or foreign objects have been removed prior to crushing. They are valued for dependable operation, a minimum of maintenance and a long service life.

“

STRAIGHTFORWARD, HIGH-SPEED CRUSHER FOR ALL KINDS OF HARD OR SOFT ANIMAL OR FISH BY-PRODUCTS.



APPLICABLE FOR:

- Drying free-flowing/non-sticky inputs
- Drying blood meal
- Drying operations in feather rendering setups
- Drying operations in fish meal plants, where oil content is removed before drying

BENEFITS

- Compact unit that's easy to install
- Dependable crushing operations at relatively low cost
- No gearbox – less maintenance

**ANIMAL OR FISH BY-PRODUCTS
(HARD OR SOFT)**

Interchangeable stationary anvils in one or two rows. Each of the four identical anvil sides can be used

Welded housing containing single rotor with hard-welded cutting knives

Rotor shaft with hardened sleeves

Drum mounted on double-row roller bearings in watertight steel boxes

Driven by pulleys and belt drive (no gearbox)

**CONTINUOUS
FLOW OF FINELY
CRUSHED OUTPUTS**

TYPE	CAPACITY (t/h)	ANVIL GAP (mm)	POWER (kW)	WEIGHT (kg)	DIMENSIONS (mm)*			
					Height (H)	Length (L)	Inlet	Outlet
TCR 20	5-8	30	15-30	1,400	900	1,450	464 x 461	610 x 461
TCR 40-1/2	8-17	30	37-55	2,200	900	1,750	706 x 465	706 x 462
TCR 75-1/2	15-27	30	75-110	3,850	1300	1,950	924 x 656	924 x 593


* All statements of dimensions are approximate.

We reserve the right to alter the specifications at any time without prior notice.



HAARSLEV™

Processing Technology



PROCESS IS POTENTIAL

HEAD OFFICE

Haarslev Industries A/S · Bogensevej 85
DK-5471 Søndersø · Denmark
Telephone: +45 63 83 11 00
Email: info@haarslev.com
www.haarslev.com

GLOBAL EXPERIENCE - LOCAL PRESENCE

Please contact us or visit our website
to locate the closest sales office.